

- Archer, AW; Elix, JA (2019): Five new species of *Pertusaria* (Pertusariales, lichenized Ascomycota) from Australia. *Australasian Lichenology* **85**, 20–27.
- Archer, AW; Elix, JA (2019): *Graphis norfolkensis*, a new species in the Australian Graphidaceae (lichenized Ascomycota, Ostropales) from Norfolk Island. *Australasian Lichenology* **85**, 67–69.
- Bayer, T; Alba, NV (2017): Temperature optima for growth and photosynthetic processes in *Trebouxia erici* isolated from an Antarctic lichen and cultivated in a temperature gradient. *Czech Polar Reports* **7**, 34–44.
- Colesie, C; Büdel, B; Hurry, V; Green, TGA (2018[2017]): Can Antarctic lichens acclimatize to changes in temperature? *Global Change Biology* **24**, 1123–1135.
- Divakar, PK; Crespo, A; Kraichak, E; Leavitt, SD; Singh, G; Schmitt, I; Lumbsch, HT (2017): Using a temporal phylogenetic method to harmonize family- and genus-level classification in the largest clade of lichen-forming fungi. *Fungal Diversity* **84**, 101–114.
- Elix, JA (2019): The distribution and diversity of buellioid lichens in Australasia. *Australasian Lichenology* **85**, 70–82.
- Elix, JA; Liao, L; Barrow, RA (2019): The structure of hafellic acid, a new diphenyl ether from the lichen *Cratiria subtropica*. *Australasian Lichenology* **85**, 28–33.
- Elix, JA; Liao, L; Barrow, RA; Piggott, AM (2019): The structure of testacein, a new hybrid polyketide-sesquiterpene metabolite from the lichen *Notoparmelia testacea*. *Australasian Lichenology* **85**, 34–39.
- Elix, JA; Mayrhofer, H (2019): A new species of *Buellia* (Caliciaceae, Ascomycota) from Île Matthew, New Caledonia. *Australasian Lichenology* **85**, 40–42.
- Elix, JA; McCarthy, PM; Hafellner, J (2019): A new lichenicolous species of *Sclerococcum* (Dactylosporaceae, Ascomycota) from south-eastern Australia. *Australasian Lichenology* **85**, 43–45.
- Elix, JA; McCarthy, PM (2019): *Trapelia concentrica* (lichenized Ascomycota, Trapeliaceae), a new species from south-eastern Australia, with a key to the genus in Australia. *Australasian Lichenology* **85**, 46–50.
- Elix, JA; McCarthy, PM (2019): *Rhizocarpon bicolor* (lichenized Ascomycota, Rhizocarpaceae), a new species from south-eastern Australia. *Australasian Lichenology* **85**, 51–57.
- Ertz, D; Poulsen, RS; Charrier, M; Søchting, U (2017): Taxonomy and phylogeny of the genus *Steinera* (Arctomiales, Arctomiaceae) in the subantarctic islands of Crozet and Kerguelen. *Phytotaxa* **324**, 201–238.
- Grube, U; Mayrhofer, H; Elix, JA (2019): A further new species of *Rinodina* (Physciaceae, Ascomycota) from eastern Australia. *Australasian Lichenology* **85**, 16–19.
- Halic, MG; Güllü, M; Barták, M (2017): First record of a common endolithic lichenized fungus species *Catenarina desolata* Søchting, Søgaard & Elvebakk from James Ross Island (Antarctic Peninsula). *Czech Polar Reports* **7**, 11–17.
- Kantvilas, G (2016): A synopsis and key for the lichen genus *Caloplaca* (Teloschistaceae) on Kangaroo Island, with the description of two new species. *Journal of the Adelaide Botanic Gardens* **29**, 53–69.
- Kantvilas, G (2016): [Abstract] Discovering Australia's lichens – from seafaring collectors to a continental flora. Page 22. In IAL8 Abstracts, IAL8, Helsinki, Finland. August 1–5, 2016.
- Kantvilas, G (2017): Two species of *Bacidia* De Not. with pruinose apothecia from Kangaroo Island. *Swainsona* **31**, 31–36.
- Kantvilas, G; Elix, JA (2017): *Tephromela baudiniana* sp. nov. (lichenised Ascomycetes) from Kangaroo Island. *Swainsona* **31**, 27–30.
- Kantvilas, G; Rivas Plata, E; Lücking, R (2018): The lichen genus *Coenogonium* in Tasmania. *Lichenologist* **50**, 571–582.
- Kantvilas, G (2018): South Australian lichens — a Kangaroo Island case study. *Swainsona* **30**, 17–24.
- Kim, J; Kwon, KK; Kim, BK; Hong, SG; Oh, H-M (2017): Genome sequence of *Deinococcus marmoris* PAMC 26562 isolated from Antarctic lichen. *Genome Announcements* **5**(12): e00013–17.

- Lagostina, E; Andreev, M; Printzen, C (2017): [Poster] Sexuality, clonality and dispersal in two Antarctic lichens. Frankfurt am Main, Conference: *Geobiodiversity*: 10.13140/RG.2.2.29019.05929.
- Lagostina, E; Dal Grande, F; Ott, S; Printzen, C (2017): Fungus-specific SSR markers in the Antarctic lichens *Usnea antarctica* and *U. aurantiacoatra* (Parmeliaceae, Ascomycota). *Applications in Plant Sciences* **5**(9), 1700054.
- Lord, JM; Mark, AF; Humar-Maegli, T; Halloy, SRP; Bannister, P; Knight, A; Dickinson, KJM (2017): Slow community responses but rapid species responses 14 years after alpine turf transplantation among snow cover zones, south-central New Zealand. *Perspectives in Plant Ecology, Evolution and Systematics*: 10.1016/j.ppees.2017.07.004.
- McCarthy, PM (2019): *Placidiopsis parva* (lichenized Ascomycota, Verrucariaceae), a new species from siliceous rocks in the Australian Capital Territory. *Australasian Lichenology* **85**, 12–15.
- McCarthy, PM; Elix, JA (2019): A new saxicolous species of *Fellhanera* (lichenized Ascomycota, Pilocarpaceae) from eastern New South Wales, Australia. *Australasian Lichenology* **85**, 3–7.
- McCarthy, PM; Elix, JA (2019): *Arthonia cryptica* (Arthoniaceae), a new lichen species from coastal rock in southern New South Wales, Australia. *Australasian Lichenology* **85**, 8–11.
- McCarthy, PM; Elix, JA (2019): Two new corticolous species of *Eugeniella* (lichenized Ascomycota, Pilocarpaceae) from Norfolk Island, south-western Pacific Ocean. *Australasian Lichenology* **85**, 58–66.
- Mrólz, T; Szufa, K; Frontasyeva, MV; Tselmovich, V; Ostrovnyaya, T; Kornas, A; Olech, AM; Mietelski, JW; Brudecki, K (2017): Determination of element composition and extraterrestrial material occurrence in moss and lichen samples from King George Island (Antarctica) using reactor neutron activation analysis and SEM microscopy. *Environmental Science and Pollution Research*: 10.1007/s11356-017-0431-2.
- Nayaka, S; Upreti, DK; Bajpai, R (2009): Diversity and adaptive response of lichens in Antarctica. Pages 107–123. In K. R. Sridhar (ed.), *Frontiers in Fungal Ecology, Diversity and Metabolites*. I.K. International Publishing House Pvt. Ltd., New Delhi, India.
- Parmen, S; Leavitt, SD; Rangsiruji, A; Lumbsch, HT (2013): Identification of species in the *Cladia aggregata* group using DNA barcoding (Ascomycota: Lecanorales). *Phytotaxa* **115**, 1–14.
- Paukov, A; Sipman, HJM; Kukwa, M; Repin, R; Teptina, A (2017): New lichen records from the mountains Kinabalu and Tambuyukon (Kinabalu Park, Malaysian Borneo) [Neue Flechtenfunde von den Bergen Kinabalu und Tambuyukon (Kinabalu Park, Borneo, Malaysia)]. *Herzogia* **30**, 237–252.
- Sancho, LG; Pintado, A; Navarro, F; Ramos, FM; De Pablo, MA; Blanquer, JM; Raggio, J; Valladares, F; Green, TGA (2017): Recent warming and cooling in the Antarctic Peninsula region has rapid and large effects on lichen vegetation. *Scientific Reports* **7**(1), 5689.
- Schultz, M (2017): Morphological and molecular data support *Lichina intermedia* as a distinct austral-marine species in the *L. pygmaea* group. *Lichenologist* **49**, 321–332.
- Sipman, HJM (2014): New species of Graphidaceae from the Neotropics and Southeast Asia. *Phytotaxa* **189**, 289–311.
- Suh, S-S; Kim, TK; Kim, JE; Hong, J-M; Nguyen, TTT; Han, SJ; Youn, UJ; Yim, JH; Kim, I-C (2017): Anticancer activity of ramalin, a secondary metabolite from the antarctic lichen *Ramalina terebrata*, against colorectal cancer cells. *Molecules* **22**, 1361.
- Viteri, R; Villamizar, JE; Alejandra, U; Quintero, A; Salazar, FJ (2017): A new tetrahydrodibenzofuran and other constituents from the lichen *Usnea antarctica*. *Journal of Chemical Research* **41**(7), 390–391.
- Wei, X; Schmitt, I; Hodgkinson, BP; Flakus, A; Kukwa, M; Divakar, PK; Kirika, PM; Otte, J; Meiser, A; Lumbsch, HT (2017): Circumscription of the genus *Lepra*, a recently resurrected genus to accommodate the “*Variolaria*”-group of *Pertusaria sensu lato* (Pertusariales, Ascomycota). *PLoS ONE* **12**(7): e0180284.